

SPECIFICATION SHEET

UMACABLE HIGH QUALITY 2RCA MALE TO MALE STEREO AUDIO CABLE

ITEM NO.: UMAV2002






KEY FEATURES:


- High Quality standard 2RCA Male to Male Stereo Audio Cable
- Seamlessly transmits stereo audio for high quality sound while ensuring reliability and reducing signal loss and noise
- Flexible PVC jacket and bare copper conductors make a better performance
- Lifetime Warranty

UMACABLE HIGH QUALITY 2RCA MALE TO MALE STEREO AUDIO CABLE


UMACABLE HIGH QUALITY 2RCA MALE TO MALE STEREO AUDIO CABLE



Diagram



Construction



Electrical Characteristics:

DC Resistance: Dielectric Strength: Insulation Resistance: 300V AC 500V/minute 10MΩ

Physical Characteristics:

Voltage Rating:	30V
Temperature Rating:	80 ℃
Approvals:	RoHS Compliant

Conductors (2 cores)

Conductor Type: Insulation: Color: 28AWG Bare Copper Foamed PE Red/Black

Overall

Drain Wire:28AWG Bare CopperJacket:PVCOD: $3.0 \pm 0.2 \text{mm}^2$

Connectors

Connector Type:	RCA Male
Plating:	Gold
Injection:	45P PVC

Customized Parameters

Guage:	AWG30, 28, 26
Length:	0.5, 1, 1.5, 1.8, 2, 3, 5, 7.5, 10,20m
Color:	Black or Customized
Nylon Mesh:	Customized
Packagte type:	PE bag, Zip bag, Box, Hang card, Blist