



SPECIFICATION SHEET

UMACABLE HIGH QUALITY 3RCA MALE TO MALE AUDIO/VIDEO CABLE

ITEM NO.: UMAV2003




KEY FEATURES :


- High Quality standard 3RCA Male to Male Audio/Video Cable
- Consists of RCA Composite Video (RG59) and 2RCA Stereo (Left and Right) Audio Cable
- Seamlessly transmits high quality composite audio and video signals while ensuring reliability and reducing signal loss and
- Flexible PVC jacket and bare copper conductors make a better performance
- Lifetime Warranty

UMACABLE HIGH QUALITY 3RCA MALE TO MALE AUDIO/VIDEO CABLE


UMACABLE HIGH QUALY 3RCA MALE TO MALE AUDIO/VIDEO CABLE



Diagram



Construction



Electrical Characteristics:

DC Resistance:	300V
Dielectric Strength:	AC 500V/minute
Insulation Resistance:	10MΩ

Physical Characteristics:

Voltage Rating:	30V
Temperature Rating:	80°C
Approvals:	RoHS Compliant

Conductors (2 cores)

Conductor Type:	28AWG Bare Copper
Insulation:	Foamed PE
Color:	Red/Black

Overall

Drain Wire:	28AWG Bare Copper
Jacket:	PVC
OD:	3.0±0.2mm*3

Connectors

Connector Type:	RCA Male
Plating:	Gold
Injection:	45P PVC

Customized Parameters

Guage:	AWG30, 28, 26
Length:	0.5, 1, 1.5, 1.8, 2, 3, 5, 7.5, 10, 20m
Color:	Black or Customized
Nylon Mesh:	Customized
Package type:	PE bag, Zip bag, Box, Hang card, Blist